

**BRAVO**

By *Tech Quality Co.,Ltd.*



# DIGITAL CAP TORQUE TESTER

## Ordering Information



Tech-Quality Co.,Ltd.



Call : +662-3286878



2/13 Sukapiban 2 Rd.,  
Pravet,Pravet, Bangkok 10250  
Thailand



+662-3286818



[www.tech-quality.com](http://www.tech-quality.com)



[info@tech-quality.com](mailto:info@tech-quality.com)

@techquality





**New !** The CTT Series The CTT is ideally suited for the testing of application and removal torque on caps and closures..

The CTT's have five ad modes of operation: Track for live readings, Peak which records the highest level over a test, First Peak which records the first peak reading over the test and Preset which shows both the live readings as well as the peak reading recorded and Double Peak

## Features

Accuracy:  $\pm 0.3\%$  FS

Display Mode: Data/Graph

Measuring Mode: Track, Peak, First Peak,


**Double Peak**, Preset, Auto Peak, etc.

Sampling Rate 1000 Hz


Memory 1000 data

Printing: Wireless Printer


Sample Diameters up to 185 mm




Compact & Wide Range



Compact & Wide Range



keystroke



NO.	Torque	Dir	G
007	10.090 kgf.cm	↻	01
008	12.670 kgf.cm	↻	01
009	9.330 kgf.cm	↻	01

## Specification

Measuring Range : 5% ~ 100%

Accuracy :  $\pm 0.3\%$

Units : N·m, N·cm, kgf·cm, lbf·ft, lbf·in

Display : 240\*160 matrix LCD with Backlight

Overload : 120% F.S.

Display Mode : Digital/Diagram

Measuring Mode : Track, Peak, First Peak, Double Peak, Preset, Auto Peak, etc

Sampling Rate : 1000 Hz

Memory : 1000 data

Output : USB, Set point output, RS232C


Power : 3.6VDC Ni-MH rechargeable batteries

Dimension : 197X183X83 mm

Weigh : 2.6 kg

Model	N.m	N.cm	kgf.cm	lbf.ft	lbf.in
CTT-2	0.1~2/0.0002	10~200/0.02	1~20/0.002	0.07~1.48/0.0002	0.89~17.7/0.002
CTT-5	0.25~5/0.0005	25~500/0.05	2.5~50/0.005	0.18~3.7/0.0005	2.2~44.3/0.005
CTT-10	0.5~10/0.001	50~1000/0.1	5~100/0.01	0.37~7.4/0.001	4.4~88.5/0.01
CTT-20	1~20/0.002	100~2000/0.2	10~200/0.02	0.7~14.8/0.002	8.9~177/0.02

### Optional Accessories

Mini Thermal printer	
	<p>Paper roll width 58 mm</p> <p>Paper roll diameter ≤ 30mm</p> <p>Power Ni-HM battery,700mAh</p> <p>Dimension 90X76X36mm</p> <p>Weight 220g (except paper roll)</p>



### Ordering Information



Tech-Quality Co.,Ltd.



2/13 Sukapiban 2 Rd.,  
Pravet,Pravet, Bangkok 10250  
Thailand



[www.tech-quality.com](http://www.tech-quality.com)



Call : +662-3286878



+662-3286818



[info@tech-quality.com](mailto:info@tech-quality.com)

@techquality

