


HAZE METER AND LIGHTTRANSMITTANCE



Ordering Information



Tech-Quality Co.,Ltd.



Call: +662-3286878



2/13 Sukapiban 2 Rd., Pravet, Pravet, Bangkok 10250



+662-3286818



www.tech-quality.com



info@tech-quality.com









The HM Series

Transmission Haze meter offers fast and accurate measurement of the optical quality of plastic films and other transparent materials plastic plate, sheets etc, and turbidity or clarity of liquid samples (water, drinks etc), used in the industries of plastics, membrane, coatings and paints, printing ink, research institute and so on.

This instrument measures total transmission and haze It conforms to international standards ASTM D 1003, ISO 13468,ISO 14782, JIS K 7361 and JIS K 7136.36 the most important standard used in most QA ,QC , R&D applications.




Features

- 5.0 inches TFT display screen
- Three kinds of light sources A,C and D65 for haze and total transmittance measurement.
- Open measurement area, no limit on sample size.
- It can realize both horizontal and vertical measurement to measure different kinds of materials.
- It adopts LED light source whose lifetime can reach 10 years,
- No need to do warm-up, after instrument is calibrated, it can be used. And measurementtime is only 3 seconds.



Three kinds of light sources A, C and D65 for haze





Specification

Measurement Range: 0-100%

Haze Resolution: 0.01

Accuracy +/-1%

Haze Repeatability: ≤0.1

Sample Size : Thickness ≤150mm

Memory: 20000 value

Interface: USB

Power: DC 24V

Working Temperature: 10-40 °C

Size (LxWxH): 310mm X 215mm X 540mm

Application



Lampshade



Mobile phone cover



AG glass AG glass



Glasses



Film

Ordering Information



Tech-Quality Co.,Ltd.



2/13 Sukapiban 2 Rd., Pravet, Pravet, Bangkok 10250 Thailand



+662-3286818



www.tech-quality.com





